

BARLEY VARIETIES 2004


PO Box 1148 Cheyenne WY 82003 1-800-892-1660 www.nass.usda.gov/wy

National Agricultural Statistics Service, USDA

July 9, 2004

B1202 AND MORAVIAN 37 SLIP IN POPULARITY BUT STILL LEAD ALL BARLEY VARIETIES

B1202 continued to reign as the favorite barley variety planted in Wyoming in 2004 with Moravian 37 the second choice. However, both were less popular than in 2003. B1202 topped the State for the thirteenth consecutive year with an estimated 27,900 acres in 2004. This variety accounted for 43 percent of malting variety seedings and 33 percent of Wyoming's total barley acreage. In 2003, 38 percent of the total barley acreage or 33,800 acres was seeded with B1202. **Moravian 37** was the second most popular variety with 15,200 acres seeded, accounting for 23 percent of the malting barley and 18 percent of the State's total barley acres. A feed barley variety was again among the top three varieties. **Haybet** was the third most common barley variety in Wyoming during 2004 with 5,900 acres planted. Haybet was estimated to comprise 31 percent of the feed barley acreage and 7 percent of the total barley acreage.





Wyoming barley producers planted an estimated 85,000 acres to all barley varieties in 2004, down 5,000 acres from 2003. The Northwest District had 59 percent of the barley acreage in 2004, compared with 60 percent last year.

Malting varieties accounted for 65,700 acres or 77 percent of the total.

Acreage planted to feed barley totaled 19,300 acres, 23 percent of Wyoming's total barley acreage. **Baronesse** was the second most common feed barley in 2004, accounting for 3,700 acres or 19 percent of the total feed barley.

The Barley Variety Survey was conducted throughout the month of June by the Wyoming Statistical Office of USDA NASS via phone and mail. The American Malting Barley Association, Inc. provided the funding for this survey. We thank the Wyoming producers who voluntarily provided information that led to these estimates.





BARLEY: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY, WYOMING, 1998-2004

Variety	1998	1999	2000	2001	2002*	2003*	2004
B1202 1/	39.0	38.8	36.4	40.0	27.3	37.6	32.8
Moravian 37			3.0	4.4	25.1	24.1	17.9
Haybet	0.3	3.0	0.4	2.6	3.1	4.0	6.9
Moravian 14	0.3	4.7	0.6	2.3	0.3	2.9	4.7
Merit 1/	1.0	0.1	0.3	1.0	9.0	2.2	4.5
Baronesse	6.5	4.2	1.5	2.4	4.3	6.4	4.4
Harrington 1/	6.5	8.6	5.4	5.0	4.2	3.7	4.0
Xena				2.1	1.2	3.3	4.0
Moravian III	3.2	2.3	1.4	1.2	0.1	1.1	3.4
Stander 1/	0.9	0.4	0.2	1.0	2.0	0.9	2.9
Steptoe	4.0	3.2	5.8	1.4	0.8	2.1	2.1
C46				0.2	0.6		2.1
Clark	2.1	2.9	2.9	1.7	1.6	1.3	2.0
Gallatin	7.6	2.9	6.6	5.5	3.3	1.2	1.8
Horsford	0.4	1.6	1.8	2.2	5.9	1.1	1.3
Other 2/	28.2	27.3	33.7	27.0	11.2	8.1	5.2
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0

^{1/} Variety recommended for malting purposes in Wyoming for 2004 by the American Malting Barley Association.

^{2/} Other feed and malting varieties reported with less than one percent of the total for 2004 include 1127, 9221, C65,

Conlon, Galena, Hector, Legacy, Otis, Statehood, Tradition, and Washford. Unknown varieties are excluded.

^{*}Revised

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2004

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE		
	Acres							
B1202 1/	27,000		300		600	27,900		
Moravian 37	12,500				2,700	15,200		
Haybet	200	4,400	200	500	600	5,900		
Moravian 14	3,000				1,000	4,000		
Merit 1/	3,400		400			3,800		
Baronesse	100	700	2,900			3,700		
Harrington 1/	300	1,600	700	800		3,400		
Xena			1,300		2,100	3,400		
Moravian III	1,700				1,200	2,900		
Stander 1/		100	2,400			2,500		
Steptoe	100	500	100		1,100	1,800		
C46	300				1,500	1,800		
Clark		100	1,600			1,700		
Gallatin			1,500			1,500		
Horsford	·	400			700	1,100		
Other 2/	1,400	200	1,600	700	500	4,400		
Total 3/	50,000	8,000	13,000	2,000	12,000	85,000		

- 1/ Variety recommended for malting purposes in Wyoming for 2004 by the American Malting Barley Association.
 2/ Other feed and malting varieties reported include 1127, 9221, C65, Conlon, Galena, Hector, Legacy, Otis, Statehood, Tradition, and Washford. Unknown varieties are excluded.
 3/ Acreage planted by Agricultural Statistics District is preliminary.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2003, REVISED

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE		
	Acres							
B1202 1/	32,600		700	500		33,800		
Moravian 37	15,200		500		6,000	21,700		
Baronesse	200	400	4,600		600	5,800		
Haybet	300	2,500	800			3,600		
Harrington 1/	400	1,900	1,000			3,300		
Xena		1,700	1,300			3,000		
Moravian 14	1,400				1,200	2,600		
C65					2,100	2,100		
Merit 1/	1,600		400			2,000		
Steptoe	200	200	1,000		500	1,900		
Galena	1,200		300			1,500		
Clark			1,200			1,200		
Gallatin	400	200	500			1,100		
Washford				1,100		1,100		
Horsford	,	100	100		800	1,000		
Moravian III	200				800	1,000		
Other 2/	300	1,000	1,600	400		3,300		
Total 3/	54,000	8,000	14,000	2,000	12,000	90,000		

- 1/ Variety recommended for malting purposes in Wyoming for 2003 by the American Malting Barley Association. 2/ Other feed and malting varieties reported include 1127, 9221, Hector, Klages, Millenium, Otis, Piroline, Smyrna, and Stander. Unknown varieties are excluded. 3/ Acreage planted by Agricultural Statistics District is revised.

WYOMING BARLEY VARIETIES: PERCENT OF TOTAL BY DISTRICTS, 2004

